Reviewed on 06/10/2015



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Identification

- · Product identifier
- · Trade name: Penofin Verde
- · Relevant identified uses of the substance or mixture and uses advised against
- · **Product description** Semi-transparent stain for use on wood.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Performance Coating, Inc. P.O. Box 1569 360 Lake Mendocino Drive Ukiah, CA 95482 Phone: (707) 462-3023 Fax: (707) 462-6139 Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Muta. 2 H341 S	Suspected of causing genetic defects.
----------------	---------------------------------------

H351 Suspected of causing cancer. Carc. 2



H315 Causes skin irritation. Skin Irrit. 2

Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Warning

 Hazard-determining components of labeling: Titanium Dioxide Stoddard solvent

2-butanone oxime

Hazard statements

Combustible liquid. Causes skin and eye irritation. May cause an allergic skin reaction.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

Suspected of causing genetic defects.

Suspected of causing cancer. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Unknown acute toxicity: 67.6 percent of the mixture consists of ingredient(s) of unknown toxicity. Classification system: • NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2 FIRE 1 Fire = 1 REACTIVITY 0 Reactivity = 0 · Hazard(s) not otherwise classified (HNOC): None known 3 Composition/information on ingredients · Description: Mixture of substances listed below with nonhazardous additions. Dangerous Components: CAS: 13463-67-7 Titanium Dioxide 0-17% 🚯 Carc. 2, H351; 🕦 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335

Oleic acid, pure

RTECS: RG 2275000 (1) Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335

CAS: 112-80-1

(Contd. on page 3)

0-15%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

040,04740,40.0			

CAS: 64742-48-9	A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65 °C to 230 °C (149 °F to 446 °F).	
CAS: 96-29-7	2-butanone oxime ♦ Carc. 2, H351; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H312; Skin Sens. 1, H317; Flam. Liq. 4, H227	<2.5%
CAS: 8052-41-3 RTECS: WJ 8925000	Stoddard solvent Flam. Liq. 3, H226;	<2.5%

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness, place patient securely on side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact:
- Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- Combustible liquid. Vapors can travel to a source of ignition and flash back.
- Explosive mixtures may occur at temperatures at or above flashpoint.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Protect from heat. Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with occupational exposure limits:

8001-26-1 Linseed oil

TWA Short-term value: 5 mg/m³ Long-term value: 10 mg/m³

8052-41-3 Stoddard solvent

PEL Long-term value: 2900 mg/m³, 500 ppm

REL Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min

TLV |Long-term value: 525 mg/m³, 100 ppm

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and chemical properties
General Information
Appearance

Liquid
Colored
Mild
Not determined.
Not determined.
Not determined.
213 °C (415 °F)
93 °C (199 °F)
Not applicable.
Not determined.
Product is not self-igniting.
Not determined.
Not determined.
Not determined.
Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

· Density:	
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.1 %
VOC content:	0.1 %
• Other information	No further relevant information available.

0 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

Information on toxicological effects

13463-67-7 Titanium Dioxide				
Oral	LD50	>10000 mg/kg (rat)		
Dermal	LD50	>10000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>6.82 mg/l (rat)		
112-80-1 Oleic acid, pure				
Oral	LD50	74000 mg/kg (rat)		
64742-48-	hydrog	en in the presence of a catalyst. It consists of hydrocarbons having carbon		
64742-48-	hydrog number	lex combination of hydrocarbons obtained by treating a petroleum fraction with en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of mately 65 °C to 230 °C (149 °F to 446 °F).		
64742-48 - Oral	hydrog number	en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of		
	hydrogo number approxi	en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of mately 65 °C to 230 °C (149 °F to 446 °F).		
Oral Dermal	hydrogo number approxi LD50	en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of mately 65 °C to 230 °C (149 °F to 446 °F). >5000 mg/kg (rat) >3000 mg/kg (rab)		
Oral Dermal	hydrogo number approxi LD50 LD50	en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of mately 65 °C to 230 °C (149 °F to 446 °F). >5000 mg/kg (rat) >3000 mg/kg (rab)		
Oral Dermal 96-29-7 2 -	hydrog number approxi LD50 LD50 butanone	en in the presence of a catalyst. It consists of hydrocarbons having carbon rs predominantly in the range of C6 through C13 and boiling in the range of mately 65 °C to 230 °C (149 °F to 446 °F). >5000 mg/kg (rat) >3000 mg/kg (rab) oxime		



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

8052-41-3 Stoddard solvent			d solvent
	Oral	LD50	>7000 mg/kg (rat)
	Dermal	LD50	>2000 mg/kg (rabbit)
Primary irritant effect:		rritant effe	ect:

• on the skin:

Irritant to skin and mucous membranes.

Emmissions from broken bulbs may cause an allergic skin reaction.

on the eye:

Irritating effect.

Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic.

The product can cause inheritable damage.

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(a) Although IARC has classified titanium dioxide as possible carcinogenic to human (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products which titanium dioxide is bound to other materials, such as in cosmetics or in paints."

(b) OSHA does not regulate Titanium Dioxide as a carcinogen. However, under 29 CFR 1910.1200 the SDS must convey the fact that Titanium Dioxide is a potential carcinogen to rats.

13463-67-7 Titanium Dioxide

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

Ecological information

· Toxicity

· Aquatic toxicity:

13463-67-7 Titanium Dioxide

EC50 >1000 mg/l (Water flea)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

2B



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA Non-Regulated Material · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Non-Regulated Material • Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Non-Regulated Material · Packing group DOT, ADR, IMDG, IATA Non-Regulated Material · Environmental hazards: Not applicable. · Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations

On passenger aircraft/rail: Not applicable On cargo aircraft only: Not applicable

· UN "Model Regulation":

5 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

_

· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
• TSCA (Toxic Substances Control Act):
All ingredients are listed.
· California Proposition 65
· Chemicals known to cause cancer:
13463-67-7 Titanium Dioxide
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.

A4



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

13463-67-7 Titanium Dioxide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 Titanium Dioxide

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Titanium Dioxide Stoddard solvent 2-butanone oxime

· Hazard statements

Combustible liquid.

Causes skin and eye irritation.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

Suspected of causing cancer.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/10/2015

Trade name: Penofin Verde

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

• State Right to Know

•		
CAS: 13463-67-7	Titanium Dioxide	0-17%
	🚸 Carc. 2, H351; 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 112-80-1	Oleic acid, pure	<2.5%
RTECS: RG 2275000	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
All ingredients are listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>6 Other information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of preparation / last revision 06/10/2015 / 2

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Flam. Liq. 4: Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 1B: Germ cell mutagenicity, Hazard Category 1B Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 • * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106